



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|-------------|----------------------|---------------------|------------------|
|-----------------|-------------|----------------------|---------------------|------------------|

10/623,621

07/22/2003

Hyoseop Shin

Q76494

5040

23373 7590 06/25/2008  
SUGHRUE MION, PLLC  
2100 PENNSYLVANIA AVENUE, N.W.  
SUITE 800  
WASHINGTON, DC 20037

EXAMINER

LU, CHARLES EDWARD

ART UNIT

PAPER NUMBER

2161

MAIL DATE

DELIVERY MODE

06/25/2008

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

|                              |                                      |                                      |  |
|------------------------------|--------------------------------------|--------------------------------------|--|
| <b>Office Action Summary</b> | <b>Application No.</b><br>10/623,621 | <b>Applicant(s)</b><br>SHIN, HYOSEOP |  |
|                              | <b>Examiner</b><br>CHARLES E. LU     | <b>Art Unit</b><br>2161              |  |

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 22 May 2008.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 54-89 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 54-89 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)                       | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)   | Paper No(s)/Mail Date. _____                                      |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>6/18/2008</u> .   | 6) <input type="checkbox"/> Other: _____                          |

## **DETAILED ACTION**

1. This Action is in response to the Request for Continued Examination dated 5/22/2008. Claims 54-89 are pending and rejected.

### ***Response to Amendments/Response to Arguments***

#### **2. Claim Rejections - 35 USC 112, first paragraph**

The 35 USC 112, first paragraph rejection of the claims is withdrawn in view of the amendment.

#### **3. Claim Rejections – 35 USC 103(a)**

Applicant's arguments were fully considered. Applicant argues the claims as amended. The claim amendments are generally drawn to using standard encoded values (codes) instead of the data the codes represent. In other words, by knowing the predefined (standard) association between the code and the data it represents, one can determine the data from the code without having to store the data itself.

However, the claim amendments do not overcome the prior art rejection in view of Evain and Kirk. Kirk teaches using standard codes. For example, "section\_id" is a field that contains standard codes (Table 1). As shown in the table, there is a standard association between each code and the data the code represents. Furthermore, one can specify codes for reserved data and user data (Table 1). One aspect of the rejection below is based on this reasoning. See below for details.

***Claim Rejections - 35 USC § 103***

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

**4. Claims 54-89 are rejected under 35 U.S.C. 103(a) as being unpatentable over Evain (XP002323574) provided by Applicant, in view of Kirk et al (U.S. Patent 6,823,329).**

**As to claim 54**, Evain teaches the following subject matter:

(i) Index structure for metadata divided into fragments, the index structure contained in a computer readable storage medium (e.g., fig. 2-3, 1.1.1, 2.1.5, 2.2, 2.2.2, 2.2.4, 2.3);

A list of keys corresponding to fields of the metadata (2.2.2, 2.3.1.1, 2.3.2);

Location information for defining a key and locating and extracting a fragment of the metadata (see XPath section 2.3.1.1, 2.3.2, also see above).

Evain does not expressly teach,

(A) "wherein at least part of the location information defining the key is expressed as a predetermined code, the predetermined code comprising a predetermined standard code being assigned to the at least a part of the location information according to a convention for associating codes with portions of the metadata, and a predetermined location code indicating that the index structure contains a location of an expression specifying a location of the fragment"

However, Kirk teaches wherein a string is expressed as a predetermined code value (see e.g., col. 2, ll. 38-42, col. 10, ll. 14-21). The code value is assigned to the string according to a convention (e.g., 1=Texas, 2=Georgia, etc). The code is stored in lieu of the raw value (col. 10, ll. 23-25). This is done to increase performance (see e.g., col. 10, ll. 28-60).

Furthermore, the location information of Evain (2.3.1.1, 2.3.2) are string values, similar to Kirk's "Texas" and "Georgia" strings (see above). Moreover, Kirk teaches using a standard code to express other data (Tables 1-4, Table 2.3.2 and "key\_encoding\_indicator" table on bottom of page), without actually storing the raw definition of that other data (i.e., the system is preprogrammed to understand what the code means when it sees the code). Furthermore, the "key\_encoding\_indicator" in Evain provides a choice of using either string values (option "00"), or using an encoded value (option "10").

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Evain with an encoding scheme, such that a code would be stored (see Kirk) in lieu of an explicit location information string, and that a "descriptor" field(s) would be additionally provided for using the code(s) themselves (similar to Evain's "encoding\_type" and "section\_id" descriptors above). Furthermore, the encoding scheme would allow the use of a string expression (similar to option "00" above). Thus, the claimed location information can either be expressed as a standard code, or a string expression, depending on which code value is used. All code values are standardized to be understood by the computer. As such, the claim limitations

would be met. The motivation would have been to increase performance for standardized data, as taught by Kirk (e.g., col. 10, ll. 28-60). Furthermore, one would desire to allow both codes and string expressions (see Evain above), to make the data structure flexible, as known to one of ordinary skill in the art. A final motivation would be to generally increase the speed of comparisons, since one of ordinary skill in the art would recognize that in comparing values for equality in a computer, numeric comparisons (comparing the "codes") are typically faster than string comparisons.

**As to claim 55**, Evain as applied above further teaches wherein the location information comprises location information of a fragment including the key, and location information of the key within the fragment (see XPath section above and 2.3.2).

**As to claim 56**, the combination of Evain/Kirk above would further teach or suggest wherein one of the location information of the fragment and the location information of the key is expressed as the predetermined code (see above discussion).

**As to claim 57**, the combination of Evain/Kirk above would further teach or suggest the code comprising additional information in a language for addressing parts of a markup language document (e.g., Evain's XPath), wherein the location of the fragments and key encoded as a predetermined code corresponds to a user defined type (see above).

**As to claim 58**, the combination of Evain/Kirk above would further teach or suggest one of the location information of the fragment and the location information of the key expressed as the predetermined code and one of the location information of the

fragment and the location information of the key encoded in a language for addressing parts of a markup language document (see above).

**As to claim 59**, the combination of Evain/Kirk above would further teach or suggest providing values of the keys and identification information concerning the metadata corresponding to the values of the keys for locating and extracting a fragment of the metadata (see e.g. Evain's use of the XPath above, and use of handles within the fragment structure, also see above).

**As to claim 60**, the combination of Evain/Kirk above would further teach or suggest a sub section comprising ranges of values of the key and identification information on ones of the fragments of metadata corresponding to the values of the key (e.g., Evain 2.3.4), and a section comprising representative key values representing the respective ranges of values of the key (Evain 2.3.3).

**As to claim 61**, the combination of Evain/Kirk above would further teach or suggest wherein the list includes identification information on the section, and identification information on the subsection (Evain, 2.3.2 - 2.3.4).

**As to claim 62**, the combination of Evain/Kirk above would further teach or suggest wherein each of the representative key values is a value among the corresponding range of values of the key (Evain, 2.3.2 - 2.3.4).

**As to claim 63**, Evain teaches the following claimed subject matter:

Limitation (i) addressed above;

a key index list section (fig. 2, 2.3.2) comprising a list of keys corresponding to fields of metadata and location information for defining the keys and extracting

fragments of the metadata (see above, and sec. 2.2-2.4), a key index section (fig. 2, 2.3.3), and a sub key index section (fig. 2, 2.3.4);

Wherein for a key of the key index list:

The sub key index section comprises ranges of values of the key (2.3.3, 2.3.4) and identification information on ones of the fragments of the metadata corresponding to the values of the key (see table in 2.3.4, e.g., "target\_handle", 2.2.2, 2.2.4);

The key index section comprises representative key values representing the respective ranges of values of the key (2.3.3). Also see above discussion of similar claimed subject matter.

Evain does not expressly teach (A) discussed above.

However, it would have been obvious to have (A). See above discussion.

**As to claim 64**, Evain as applied above further teaches wherein the location information comprises location information of a fragment including the keys, and location information of the keys within the fragment (see XPath section above and 2.3.2).

**As to claim 65**, Evain as applied above further teaches comprising a corresponding key index section and a corresponding sub key index section for another key of the key index list (2.3.2-2.3.4).

**As to claim 66**, Evain as applied above further teaches wherein the key index list section further comprises identification information on the key index section and the key index section further comprises identification information on the sub key index section (2.3.2 - 2.3.4).



**As to claim 67**, Evain teaches the following claimed subject matter:

Limitation (i) above;

A list of keys corresponding to fields of the metadata (2.2.2, 2.3.1.1, 2.3.2);

Location information for defining a key (see XPath section 2.3.1.1, 2.3.2, also see above).

Values of the keys and identification information concerning the metadata corresponding to the values of the keys for locating and extracting a fragment of the metadata (see e.g. Evain's use of the XPath above, and use of handles within the fragment structure, also see above).

Evain does not expressly teach (A) discussed above.

However, it would have been obvious to have (A). See above discussion.

**As to claim 68**, Evain as applied above further teaches wherein the identification information comprises identification information on the fragments of the metadata corresponding to the values of the keys (e.g., 2.3, XPath, Key Index).

**As to claim 69**, Evain as applied above further teaches wherein the metadata has the structure of metadata as defined by the TV Anytime Forum (see e.g., Evain, introduction, 2.3.1.1, 2.3.5).

**Claim 70** is rejected on the same basis as claim 54 above.

**As to claim 71**, Evain teaches the following claimed subject matter:

Limitation (i) addressed above, including "the index provided to search the metadata" (see throughout Evain);

Providing a key index list section (fig. 2, 2.3.2) comprising a list of keys corresponding to fields of metadata and location information for defining the keys and locating and extracting a fragment of the metadata (see above, and sec. 2.2-2.4), a key index section (fig. 2, 2.3.3), and a sub key index section (fig. 2, 2.3.4);

Wherein for a key of the key index list:

The sub key index section comprises ranges of values of the key (2.3.3, 2.3.4) and identification information on ones of the fragments of the metadata corresponding to the values of the key (see table in 2.3.4, e.g., "target\_handle", 2.2.2, 2.2.4);

The key index section comprises representative key values representing the respective ranges of values of the key (2.3.3). Also see above discussion of similar claimed subject matter.

Evain does not expressly teach (A) discussed above.

However, it would have been obvious to have (A). See above discussion.

**Claim 72** is rejected on the same basis as claim 67 above.

**As to claims 73, 75, 77, 79, 81, and 83**, Evain further teaches wherein the location information to which the predetermined code is assigned corresponds to a path from a root node in the metadata to a metadata fragment containing the key (see Sec. 2.3.1.1).

**As to claims 74, 76, 78, 80, 82, and 84**, Evain further teaches wherein the location information is an XPath expression (e.g., see sec. 2.3.1.1).

**As to claim 85**, Evain teaches the claimed subject matter including:

Limitation (i) as discussed above;

As to "transmitted from provider to receiver", see sec. 2.1.5, 2.3.1.1, 2.3.2, and note that the data has to be transmitted from a provider to a receiver for the system to be functional in a computing environment. See previous Action.

Evain does not expressly teach comprising a "fragment type" field containing an encoded value assigned to a standard fragment type specifying a location of the fragment, wherein the encoded value is assigned to the standard fragment type according to a convention for specifying standard fragment types and a key descriptor field containing location information specifying a location of a key for the index relative to the location of the fragment indicated by the fragment type field.

The above is drawn to substantially the same subject matter as (A) above. Also note that Evain already provides location information of the fragment and location information of the key relative to the fragment (see above), and both are string values.

See above discussion for (A) for the reasoning and motivation to combine.

As such, Evain and Kirk teach the claimed subject matter.

**As to claim 86**, the combination of Evain/Kirk above has to assign the encoded value to the predefined string (assigning "1" to Texas") prior to creating a container containing the index structure for transmission or else the use of the code would be meaningless.

**As to claim 87**, the combination of Evain/Kirk above would further teach or suggest wherein the predefined string specifying the fragment location is a path from a root node in the metadata to a metadata fragment containing the key (see Evain's XPath 2.3.1.1).

Art Unit: 2161

**As to claim 88**, Evain as applied above further teaches the claimed subject matter (see XPath section above).

**As to claim 89**, Evain as applied above would have the structure of metadata as defined by the TV Anytime Forum (see e.g., introduction, 2.3.1.1, 2.3.5).

***Conclusion***

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Charles E. Lu whose telephone number is (571) 272-8594. The examiner can normally be reached on 8:30 - 5:00; M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Apu Mofiz can be reached at (571) 272-4080. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/Charles E Lu/  
Examiner, Art Unit 2161  
6/24/2008

/Apu M Mofiz/  
Supervisory Patent Examiner, Art Unit 2161